

JNM170 Specifications

SPECIFICATION		DIMENSION
LCD Panel		<p>The technical drawings include:</p> <ul style="list-style-type: none"> Front View: Shows a 380mm wide and 312mm high display. The viewing area is 340mm wide and 277.4mm high. It features an OSD button at the top center and a VESA mount with 4-M4 taps at the bottom center. Side View: Shows a 200mm deep display with a 36mm top bezel, a 52mm top panel, and a 15mm bottom bezel. It indicates the positions of user holes on the left and right sides. Bottom View: Shows the 200mm wide base with 8-M4 taps for user holes at the top and bottom. Bottom Panel Detail: Shows the connection ports: POWER(DC12V), DM(OPTION), RGB, and TOUCH INTERFACE (OPTION/USBSERIAL).
Display Type	TFT LCD Panel	
Max. Resolution	1280 x 1024	
Colors	16.7 Million Colors	
Pixel pitch (mm)	0.264 x 0.264	
Diagonal Size	17 inch	
Display Area	337.920mm(H) x 270.336mm(V)	
Brightness	300 cd/m ² (Typical)	
Contrast Ratio	800 : 1 (Typical)	
Response Time	5 ms (Tr+Tf, Typical)	
Viewing Angle (CR=10)	80°/80°(L/R) & 75°/85°(U/D) (Typical)	
Interface		
VGA Input	D-Sub15 pin	
Option	DVI-D	
OSD Control		
PC	Auto adjust, Brightness, Contrast, Hori. / Vert. Position, Coarse, Clock phase, Color, Language	
Mechanical & Environmental		
Dimensions (mm)	380 x 312 x 52	
Temperature	0°C to 40°C Operating -20°C to 60°C Storage	
	10%RH to 90%RH Operating 10%RH to 90%RH Storage	
Accessories		
Standard	15-PIN VGA cable, Power cord	
Optional	DVI-D cable	
Touch (Optional)		
	4-wire resistive (Digitech by Kor) 5-wire resistive (Digitech by Kor) Capacitive (3M & Digitech) SAW (ELO & A-Touch by Taiwan) Infra-red (Nexio by Kor)	

JNM display Co.,Ltd

www.jnmdisplay.com

Ver1.0